



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

August 6, 2001

Canyonview Orchards Inc
604 Meadows Dr E
Richland WA 99352

Re: Emergency Drought Permit G4-34515

In accordance with the provisions of RCW 43.83B.405, on March 14, 2001, it was ordered and determined by the Director of the Department of Ecology that the State of Washington is under drought conditions. In accordance with the provisions of WAC 176-166-060, the Department of Ecology is under the terms of this Order, issuing an EMERGENCY DROUGHT PERMIT. The intent of this authorization is to alleviate hardships and reduce the burdens on water users arising from the drought conditions.

THIS AUTHORIZATION SHALL IN NO MANNER BE CONSTRUED TO GUARANTEE OR IMPLY THAT A FINAL (REGULAR) PERMIT WILL ISSUE FOR THE FUTURE USE OF THE WATER USE HEREIN AUTHORIZED.

The Department of Ecology has agreed to fund the cost of the mitigation or offsets for the impacts associated with the drought emergency authorizations. Ecology is attempting to meet the essential irrigation needs of farmers growing orchard crops, grapes and hops where the loss of irrigation water would permanently damage trees and vines. Essential needs have been defined as 75% to 80% of a usual irrigation water duty delivered by the irrigation districts.

This authorization is conditioned by the following provisions and limitations:

This authorization is for one new well to be located approximately 250 feet south and 600 feet west from the center of Section 2, T. 9 N., r. 26 E.W.M.

The well must comply with the following construction requirements and restrictions:

- (a) The casing shall be set or placed (not driven) twenty (20) feet into the first solid, un-fractured, nonporous, non-vesicular basalt flow occurring at or below 200 feet, whichever is greater;
- (b) The well annulus shall be sealed with a bentonite slurry, neat cement, or cement grout. The sealing material shall be placed in the annulus by pumping to seal the entire annulus from the bottom of the casing to the land surface. Active solid content of the bentonite shall be twenty percent by weight or greater in all bentonite slurries;
- (c) The well annulus shall be at least four (4) inches greater in diameter than the permanent casing and;
- (d) The well depth shall terminate at or above a depth corresponding to the top of the Priest Rapids (basalt) Member of the Wanapum Formation, which should be encountered, at a depth of approximately 550 feet.
- (e) Installation of an airline and an access port for water level measurement is required.

Further, the applicant shall require the driller to collect and retain drill cuttings for Ecology to submit for laboratory analysis as follows:

FILE COPY



The driller shall collect and retain basalt chip samples below the 200 foot depth every 20 feet and at significant changes in lithology. The depth each sample is taken from shall be recorded with the sample. Gross sample size should be large enough to provide a net minimum of 16 ounces of dry, clean, washed basalt chips from each sample. Staff from Ecology will pick up the samples during and/or at the conclusion of drilling and arrange for X-Ray Fluorescence Analysis. As soon as the drilling schedule is established, the applicant shall notify Anna Hoselton [(509) 454- 7887] at Department of Ecology, Yakima, WA, to go over any questions and arrange for site access by Ecology staff.

All water wells constructed within the state shall meet the minimum standards for construction and maintenance as provided under RCW 18.104 (Washington Water Well Construction Act of 1971) and Chapter 173-160 WAC (Minimum Standards for Construction and Maintenance of Water Wells).

The well may not be able to produce the requested quantity of water due to the geology and water availability in the aquifer.

The quantity of water to be withdrawn is limited to 400 gpm and 80 acre-feet per year to irrigate a 40 acre cherry orchard. This is based upon the instantaneous quantity requested in the application and an annual quantity of 2 acre-feet per acre for orchard.

Water is to be used for supplemental irrigation of 40 acres of orchard from May 1 to October 31, 2001. The place of use is described as follows:

The NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 2, T. 9 N., R. 26 E.W.M.: EXCEPT the E 20 feet and EXCEPT the W 10 feet of the E 30 feet of the 328 feet and EXCEPT Short Plat No. 24, records of Benton County, Washington.

A suitable flow meter approved by the Department of Ecology shall be installed and maintained in accordance with WAC 508-64-020 through WAC 508-64-040. (Installation, operation and maintenance requirements attached hereto.)


Whenever water is being diverted, bi-weekly (every two weeks) readings of the flow meter shall be recorded and maintained by the permittee. These readings shall be documented by time, date, withdrawal rate, and the person conducting the measurements. Copies of these records shall be submitted to the Department of Ecology at the end of the 2001 irrigation season.

Withdrawal of water under this right may be limited or otherwise regulated in favor of senior rights.

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

This drought emergency authorization expires on October 31, 2001.

Sincerely,



Robert F Barwin, Section Manager

PK:RFB:gg
010812

Enclosures: Flow Meter Requirements
cc: Yakama Nation



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

August 6, 2001

To: Carroll Palmer, Yakama Nation

RE: Emergency Drought Authorization re: G4-34515

Enclosed is a copy of the Department of Ecology's Emergency Drought Change Authorization(s), which constitutes our determination and order regarding the above-referenced application(s). If you have any questions or concerns about any of this information, please call Carol Mortensen of the Department of Ecology at (509) 575-2597.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board within thirty (30) days of receipt of this Order. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal must be sent to: Department of Ecology, Fiscal Office, P.O. Box 47615, Olympia, Washington 98504-7615. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board within thirty (30) days of the date the Order was mailed in the same manner described above.

Sincerely,

Robert F. Barwin, Section Manager
Water Resources Program

RFB:gg
010812b

Enclosures: Emergency Drought Change Authorization(s)

f-10th.doc

